

ICONUFIRES



Fire Design For Luxury Living

lcon Fires set the standard for luxury bioethanol fireplaces with advanced levels of performance, functionality and refinement.

Icon Fires make a stylish addition to indoor and outdoor spaces.

They open a world of creative scope to push the boundaries of fireplace design.

These flueless, environmentally friendly bioethanol fireplaces employ the latest technologies to achieve best efficiencies, vibrant flames and impressive heating performance. With burners and fireboxes to suit a variety of environments and all equipped with a unique heat and flame controllability feature, an industry first and exclusive to Icon Fires.

Visit www.iconfires.com for additional resources to help plan your Icon Fires fireplace.



About Bioethenol Fires

Icon Fires are fuelled with bioethanol. Bioethanol is a biofuel derived from plants including corn, wheat, barley and sugarcane. Bioethanol is a renewable energy source, with no odour and no harmful emissions. It creates a vibrant clean-burning flame with no harmful effects on the environment or the people using it.

Flueless fireplaces allow for endless installation possibilities. Architects, designers and home renovators around the world have embraced bioethanol fireplaces to achieve traditional and minimalist contemporary styles.







Commercial Range

Performance driven bioethanol fires ...

on Fires Commercial Range offers an Industry first `performance driven' bioethanol fireplace for indoor and outdoor spaces

e commercial range is designed for grand spaces delivering large dynamic flames with significant heat output

e Commercial Linear Burners have controllable flame size achieving temperature control, fuel efficiency and longer burning times industry first and exclusive to Icon Fires. You can create a unique fireplace or install them into existing masonry fireplaces.

he Commercial Fireboxes used with the linear burners are available for inbuilt installations. The Commercial Fireboxes capture and irect the significant heat output efficiently into the room. Black interiors enhance the appearance of the flame. The Commercial ireboxes are equally well suited for minimalist contemporary settings or traditional fireplaces with a mantelpiece

Commercial Range



IFMB614 Mid Burner 614

Dimemsions:

H128mm x L624mm x D254mm

Cut out Sizes:

H105mm x L595mm x D230

Capacity: 7.7 litres

Consumption: avg 0.75lt/hr Burning Time: Up to 10 hours Performance: 6.5 kW/hr rating

IFLB914 Long Burner 914

Dimemsions:

H128mm x L924mm x D254mm

Cut out Sizes:

H105mm x L895mm x D230

Capacity: 11.5 liters

Consumption: avg 0.9lt/hr Burning Time: Up to 12 hours Performance: 10 kW/hr rating

- High performance, clean-burning bioethanol burners.
- Flame and heat control.
- Durable 304 stainless steel construction.

CHARLEST SECURITIES SECURITIES WITHIN THE

- Twin Skin Top Tray supplied.
- Suitable for custom settings and existing masonry fireplaces.
- Suits indoor and outdoor use.
- All burners come with electronic pump for easy refueling.



CMFBCLASSIC Commercial Classic Firebox Complete with IFMB614 Burner

Dimemsions:

H600mm x L900mm x D375mm

Fascia Finishes: ■ □ Capacity: 7.7 litres

Consumption: avg 0.75lt/hr Burning Time: Up to 10 hours Performance: 6.5 kW/hr rating


CMFBXL Commercial XL Firebox Complete with IFLB914 Burner

Dimemsions:

H600mm x L1100mm x D375mm

Fascia Finishes: ■ □
Capacity: 11.5 liters
Consumption: avg 0.9lt/hr
Burning Time: Up to 12 hours
Performance: 10 kW/hr rating

- Supplied complete with a matching burner.Directional-Convection system.
- Choice of fascia: Black or Brushed Stainless Steel.
- Interior finish: Black.
- Suits indoor and outdoor use.



Flame height and heat control are a feature of all Icon Fires linear burners.
Improving comfort and fuel efficiency.



Slimline Range



It's the attention to detail ...

The Slimline range offers the industry's longest linear burners that produce a stretched continuous flame for dramatic effect. All burners are designed for custom installations both indoor and outdoors.

Fine detail and quality finishes distinguish Slimline Burners. The unique mounting frame enables flush fitting into the surface. Elegant proportions and the brushed stainless steel accentuate the long continuous flame.

Complementing the Slimline Linear Burners are natching Fireboxes designed for inbuilt installations Their shallow depth simplifies fitting into compact ettings.

Black interiors enhance the flame's appearance. Wit a choice of brushed stainless steel or black fascias t finish off the setting.

Simple installation opens up endless positionin possibilities for Icon Fires Slimline Range.



SB500 Slimline Burner

Dimensions:

H100mm x L545mm x D145mm

Cut Out Size:

H110mm x L530mm x D130mm

Capacity: 2.75 Litres Consumption: avg 0.3 lt/hr Burning Time: Up to 8 hours Performance: 2.5 kW/hr rating



Dimemsions:

H100mm x L845mm x D145mm

Cut Out Size:

H110mm x L830mm x D130mm

Capacity: 4.5 Litres Consumption: avg 0.6 lt/hr

Burning Time: Up to 8 hours Performance: 4.35 kW/hr rating

SB1100 Slimline Burner

Dimemsions:

H100mm x L1145mm x D170mm

Cut Out Size:

H110mm x L1130mm x D155mm

Capacity: 6.25 Litres Consumption: avg 0.9lt/hr

> Burning Time: Up to 9 hours Performance: 7.25 kW/hr rating



Dimemsions:

H100mm x L1445mm x D170mm

Cut Out Size:

H110mm x L1430mm x D155mm

Capacity: 8.15 Litres

Consumption: avg 1.0 lt/hr Burning Time: Up to 9 hours Performance: 9.5 kW/hr rating



- Flame and heat control.
- Slender dimensions allow for compact installations.
- Brushed finish, 304 Stainless steel construction.
- Suitable for custom settings and existing masonry fireplaces.
- Suits indoor and outdoor use.
- All burners come with electric pump for easy refueling.

Slimline Burner Image SB1400 has dual sliding plate, smaller models have single sliding plate



SFB1100 Slimline Firebox Complete with SB800 Burner

Dimemsions:

H600mm x L1100mm x D315mm

Fascia Finishes: Capacity: 4.5 Litres

Consumption: avg 0.6 lt/hr Burning Time: Up to 8 hours Performance: 4.35 kW/hr rating

Consumption: avg 0.9lt/hr Burning Time: Up to 9 hours

SFB1350 Slimline Firebox Complete with SB1100 Burner

Dimemsions:

H600mm x L1350mm x

Fascia Finishes: Capacity: 6.25 Litres

Performance: 7.25 kW/hr rating

SFB1650 Slimline Firebox Complete with SB1400 Burner

Dimemsions:


H600mm x L1650mm x D315mm

Fascia Finishes: Capacity: 8.15 Litres Consumption: avg 1.0 lt/hr Burning Time: Up to 9 hours Performance: 9.5 kW/hr rating

- Fireboxes in contemporary stretched linear formats.
- Supplied complete with a matching burner.
- Shallow depth simplifies installation.
- Choice of fascia: Black or Brushed Stainless Steel.
- Interior finish: Black.
- Suits indoor and outdoor use.



Slimline's unique Mounting Frame enables a clean, flush finish into the bench surface.



Flame height and heat control are a feature of all Icon Fires linear burners. Improving comfort and fuel efficiency



Nero Wall Fires

It simply mounts on the wall ...

Mounting a fire setting onto an interior wall is ar exciting new way to bring a decorative fire into a iving space.

ero Wall Fires hang from a simple to fit wall bracket. he slender proportions of the Slimline Burners allow or an unobtrusive installation with Nero projecting list 170mm off the wall.


Nero Wall Fires are available in three sizes to natch the Slimline Burners in 800mm, 1100mr and 1400mm



Flame stability, efficiency, fuel economy and heat output are all enhanced with the latest burner technologies employed across the Icon Fires range

Heat output and flame effect can be controlled with all Icon Fires burners. An industry first and exclusive to Icon Fires for this style of burner.

15 ICON OFFIRES





- Supplied complete with matching burner.Choice of fascia: Black or Stainless Steel.
- Interior finish: Black.
- Suits indoor use only.

Nero 1150 Complete with SB800 BURNER

Dimemsions:

H590mm x L1150mm x D170mm

Fascia Finishes: 🔳 🔲 Capacity: 4.5 Litres Consumption: avg 0.6 lt/hr

Burning Time: Up to 8 hours Performance: 4.35 kW/hr rating

Nero 1450 Complete with SB1100 BURNER

Dimemsions:

H590mm x L1450mm x D195mm

Fascia Finishes: Capacity: 6.25 Litres Consumption: avg 0.9lt/hr Burning Time: Up to 9 hours Performance: 7.25 kW/hr rating

Nero 1750 Complete with SB1400 BURNER

Dimemsions:

H590mm x L1750mm x D195mm

Performance: 9.5 kW/hr rating

Fascia Finishes: 🔳 🔲 Capacity: 8.15 Litres Consumption: avg 1.0 lt/hr Burning Time: up to 9 hours

Slender proportions, minimal projection off the wall.

DISCLAIMER*

Specifications are subject to change without notice.
Current specification documentation can be obtained from www.iconfires.com

For more information visit www.iconfires.com or contact us at info@iconfires.com



www.iconfires.com